Brain Research, 497 (1989) 407–409
Elsevier

Author Index

Aitken, P.G., see Balestrino, M., 102
Akaike, N., see Kaneda, M., 187
Akiguchi, I., see Shigematsu, K., 21
Ariano, M.A. and Kenny, S.L., Striatal muscarinic receptors are associated with substance P and somatostatin containing neurons, 51
Ault, B., Caviedes, P., Hidalgo, J., Epstein, C.J. and Rapoport, S.I., Electrophysiological analysis of cultured fetal mouse dorsal root ganglion neurons transgenic for human superoxide dismutase-1, a gene in the Down syndrome region of chromosome 21, 191
Azmitia, E.C., see Whitaker-Azmitia, P.M., 80

Baimbridge, K.G., see Carr, P.A., 163
Balestrino, M., Aitken, P.G. and Somjen, G.G., Spreading depression-like hypoxic depolarization in CA1 and fascia dentata of hippocampal slices: relationship to selective vulnerability, 102
Baluk, P., see Hanani, M., 245
Baraban, J., see Zarbin, M.A., 334
Bardo, M.T., see Houdi, A.A., 195
Barthe, J.Y., Mons, N., Cattaert, D., Geffard, M. and Clarac, F., Dopamine and motor activity in the lobster *Homarus gammarus*, 368
Beck, T., Wenzel, J., Kuschinsky, K. and Krieglstein, J., Morphine-induced alterations of local cerebral glucose utilization in the basal ganglia of rats, 205
Béloeil, J.-C., see Jacquin, R., 296
Berrebi, A.S., see Denenberg, V.H., 271
Blasquez, C., see Delbende, C., 86
Burstein, R. and Giesler Jr., G.J., Retrograde labeling of neurons in spinal cord that project directly to nucleus accumbens or the septal nuclei in the rat, 149

Carlen, P.L., Gurevich, N., Wu, P.H., Su, W.-G., Corey, E.J. and Pace-Asciak, C.R, Actions of arachidonic acid and hepoxilin A_3 on mammalian hippocampal CA1 neurons, 171
Carr, P.A., Yamamoto, T., Karmy, G., Baimbridge, K.G. and Nagy, J.I., Parvalbumin is highly colocalized with calbindin D28k and rarely with calcitonin gene-related peptide in dorsal root ganglia neurons of rat, 163
Carr, W.E.S., see Gleeson, R.A, 12
Cattaert, D., see Barthe, J.Y., 368
Caviedes, P., see Ault, B., 191
Champagnat, J., see Jacquin, T., 296
Chen, I.C., see Chiang, C.Y., 325
Chiang, C.Y., Chen, I.C., Dostrovsky, J.O. and Sessle, B.J., Inhibitory effect of stimulation of the anterior pretectal nucleus on the jaw-opening reflex, 325
Choi, D.W., see Weiss, J.H., 64
Christie, D. and Steele Russell, I., Monocular pattern discrimination learning after unilateral lesions of anteromedial cortex in rat, 378
Clarac, F., see Barthe, J.Y., 368
Cler, J.A., see Pullan, L.M., 59
Coote, J.H., see Miyazaki, T., 108
Corey, E.J., see Carlen, P.L., 171

Currò Dossi, R., see Pellegrini, A., 344

Dal Pos, F., see Pellegrini, A., 344
De Costa, B., see Long, J.B., 155
DeLaPaz, R., see Steinberg, G.K., 382
Delbende, C., Jégou, S., Tranchand-Bunel, D., Blasquez, C. and Vaudry, H., γ-Aminobutyric acid inhibits the release of α-melanocyte-stimulating hormone from rat hypothalamic slices, 86
Denenberg, V.H., Berrebi, A.S. and Fitch, R.H., A factor analysis of the rat's corpus callosum, 271
Deutch, A.Y., see Yurek, D.M., 250
Dietrich, W.D., see Humphrey, M.F., 132
Dostrovsky, J.O., see Chiang, C.Y., 325
Dun, N.J., see Miyazaki, T., 108

Epsten, C.J., see Ault, B., 191
Ermani, M., see Pellegrini, A., 344

Fitch, R.H., see Denenberg, V.H., 271
Fortin, G., see Jacquin, T., 296
Fournie-Zaluski, M.C., see Kayser, V., 94
Fujita, S., see Takahashi, Y., 374

Gall, C., see Pico, R.M., 387
Gallagher, J.P., see Twery, M.J., 315
Geffard, M., see Barthe, J.Y., 368
Geffard, M., see Tison, F., 260
Gerstein, G.L., see Gochin, P.M., 1
Giesler Jr., G.J., see Burstein, R., 149
Gillet, B., see Jacquin, T., 296
Gleeson, R.A., Carr, W.E.S. and Trapido-Rosenthal, H.G., ATP-sensitive chemoreceptors: antagonism by other nucleotides and the potential implications of ectonucleotidase activity, 12
Gochin, P.M., Kaltenbach, J.A. and Gerstein, G.L., Coordinated activity of neuron pairs in anesthetized rat dorsal cochlear nucleus, 1
Grimble, R.F., see Holt, S.J., 183
Guerra-Seijas, M.J., see Labandeira-Garcia, J.L., 305
Guilbaud, G., see Kayser, V., 94
Gurevich, N., see Carlen, P.L., 171
Guthrie, K.M. and Leon, M., Induction of tyrosine hydroxylase expression in rat forebrain neurons, 117

Hall, M.E, Miley, F.B. and Stewart, J.M., Cardiovascular effects of substance P peptides in the nucleus of the solitary tract, 280
Hamada, S., see Takahashi, Y., 374
Hanani, M., Zamir, O. and Baluk, P., Glial cells in the guinea pig myenteric plexus are dye coupled, 245
Henry, P., see Tison, F., 260
Hidalgo, J., see Ault, B., 191
Hiraga, K., see Hori, Y., 291
Holt, S.J., Grimble, R.F. and York, D.A., Tumour necrosis factor-α and lymphotoxin have opposite effects on sympathetic efferent nerves to brown adipose tissue by direct ac-

tion in the central nervous system, 183
Hori, Y., Hiraga, K. and Watanabe, S., The effects of thiamylal sodium on the tonic vibration reflex in man, 291
Houdi, A.A., Bardo, M.T. and Van Loon, G.R., Opioid mediation of cocaine-induced hyperactivity and reinforcement, 195
Humphrey, M.F., Levy, W.J., Dietrich, W.D., Rumpf, R. and Mora, J., Peripheral nerve repair across a gap studied by repeated observation in a new window implant chamber, 132
Hunter, B.E., see King, M.A., 361

Ibata, Y., see Takahashi, Y., 374

Jacquin, T., Gillet, B., Fortin, G., Pasquier, C., Béloeil, J.-C. and Champagnat, J., Metabolic action of *N*-methyl-D-aspartate in newborn rat brain ex vivo: ^{31}P magnetic resonance spectroscopy, 296
Jégou, S., see Delbende, C., 86
Jen, P.H.-S., see Sun, X., 214

Kajiwara, K., see Sugaya, E., 239
Kaltenbach, J.A., see Gochin, P.M., 1
Kameyama, M., see Shigematsu, K., 21
Kamo, H., see Shigematsu, K., 21
Kaneda, M. and Akaike, N., The low-threshold Ca current in isolated amygdaloid neurons in the rat, 187
Karmy, G., see Carr, P.A., 163
Kawamura, J., see Shigematsu, K., 21
Kawamura, M., Kuraishi, Y., Minami, M. and Satoh, M., Antinociceptive effect of intrathecally administered antiserum against calcitonin gene-related peptide on thermal and mechanical noxious stimuli in experimental hyperalgesic rats, 199
Kayser, V., Fournie-Zaluski, M.C., Guilbaud, G. and Roques, B.P., Potent antinociceptive effects of Kelatorphan (a highly efficient inhibitor of multiple enkephalin-degrading enzymes) systemically administered in normal and arthritic rats, 94
Kenny, S.L., see Ariano, M.A., 51
King, M.A., Louis, P.M., Hunter, B.E. and Walker, D.W., Biocytin: a versatile anterograde neuroanatomical tract-tracing alternative, 361
Koh, J.-y., see Weiss, J.H., 64
Komatsubara, J., see Sugaya, E., 239
Krieglstein, J., see Beck, T., 205
Kumazawa, T., Mizumura, K., Sato, J. and Minagawa, M., Facilitatory effects of opioids on the discharges of visceral nociceptors, 231
Kunis, D., see Steinberg, G.K., 382
Kuraishi, Y., see Kawamura, M., 199
Kuschinsky, K., see Beck, T., 205

Labandeira-Garcia, J.A., see Labandeira-Garcia, J.L., 305
Labandeira-Garcia, J.L., Guerra-Seijas, M.J. and Labandeira-Garcia, J.A., The abducens motor and internuclear neurons in the rabbit: retrograde horseradish and double fluorescent labeling, 305
Leon, M., see Guthrie, K.M., 117
Levy, W.J., see Humphrey, M.F., 132
Linden, D.J., see Nelson, R.B., 30
Long, J.B., Rigamonti, D.D., De Costa, B., Rice, K.C. and Martinez-Arizala, A., Dynorphin A-induced rat hindlimb paralysis and spinal cord injury are not altered by the κ opioid antagonist nor-binaltorphimine, 155
Louis, P.M., see King, M.A., 361

Maeda, T., see Shigematsu, K., 21
Martinez-Arizala, A., see Long, J.B., 155
Matsubayashi, K., see Shigematsu, K., 21
Matsushima, R., see Tashiro, T., 177
Mattson, M.P., Acetylcholine potentiates glutamate-induced neurodegeneration in cultured hippocampal neurons, 402
Meshul, C.K., Calcium channel blocker reverses anticholinesterase-induced myopathy, 142
Miley, F.B., see Hall, M.E., 280
Minagawa, M., see Kumazawa, T., 231
Minami, M., see Kawamura, M., 199
Miyazaki, T., Coote, J.H. and Dun, N.J., Excitatory and inhibitory effects of epinephrine on neonatal rat sympathetic preganglionic neurons in vitro, 108
Mizumura, K., see Kumazawa, T., 231
Mizuno, N., see Tashiro, T., 177
Mons, N., see Barthe, J.Y., 368
Mons, N., see Tison, F., 260
Mora, J., see Humphrey, M.F., 132

Nagy, J.I., see Carr, P.A., 163
Nelson, R.B., Linden, D.J. and Routtenberg, A., Phosphoproteins localized to presynaptic terminal linked to persistence of long-term potentiation (LTP): quantitative analysis of two-dimensional gels, 30
Nierenberg, J., see Weiss, S.R.B., 72
Novak, J.L. and Wheeler, B.C., Two-dimensional current source density analysis of propagation delays for components of epileptiform bursts in rat hippocampal slices, 223

Oka, N., see Shigematsu, K., 21
Okamura, H., see Takahashi, Y., 374
Olack, B.J., see Schmidt, R.E., 393

Pace-Asciak, C.R., see Carlen, P.L., 171
Pasquier, C., see Jacquin, T., 296
Pellegrini, A., Currò Dossi, R., Dal Pos, F., Ermani, M., Zanotto, L. and Testa, G., Ethosuximide alters intrathalamic and thalamocortical synchronizing mechanisms: a possible explanation of its antiabsence effect, 344
Pico, R.M. and Gall, C., Continuities between outer nuclear membrane and the rough endoplasmic reticulum increase in hippocampal neurons during seizure-induced protein synthesis, 387
Plurad, S.B., see Schmidt, R.E., 393
Post, R.M., see Weiss, S.R.B., 72
Pullan, L.M. and Cler, J.A., Schild plot analysis of glycine and kynurenic acid at the *N*-methyl-D-aspartate excitatory amino acid receptor, 59

Rachel, R.A. and Sieber-Blum, M., Glutamate-immunoreactive sensory neurons in quail neural crest cell culture, 43
Rapoport, S.I., see Ault, B., 191
Rice, K.C., see Long, J.B., 155
Rigamonti, D.D., see Long, J.B., 155
Roques, B.P., see Kayser, V., 94
Roth, R.H., see Yurek, D.M., 250
Rouet-Karama, S., see Tison, F., 260
Routtenberg, A., see Nelson, R.B., 30
Rumpf, F., see Humphrey, M.F., 132

Saleh, J., see Steinberg, G.K., 382

Sato, J., see Kumazawa, T., 231
Satoda, T., see Tashiro, T., 177
Satoh, M., see Kawamura, M., 199
Scharp, D.W., see Schmidt, R.E., 393
Schmidt, R.E., Plurad, S.B., Olack, B.J. and Scharp, D.W., The effect of pancreatic islet transplantation and insulin therapy on neuroaxonal dystrophy in sympathetic autonomic ganglia of chronic streptozocin-diabetic rats, 393
Schumacher, U., see Trudrung, P., 399
Sessle, B.J., see Chiang, C.Y., 325
Sharav, Y., see Tal, M., 138
Shigematsu, K., Akiguchi, I., Oka, N., Kamo, H., Matsubayashi, K., Kameyama, M., Kawamura, J. and Maeda, T., Monoamine oxidase-containing nerve fibers in the major cerebral arteries of rats, 21
Sieber-Blum, M., see Rachel, R.A., 43
Sladek, Jr., J.K., see Yurek, D.M., 250
Somjen, G.G., see Balestrino, M., 102
Steele Russell, I., see Christie, D., 378
Steinberg, G.K., Saleh, J., DeLaPaz, R., Kunis, D. and Zarnegar, S.R., Pretreatment with the NMDA antagonist dextrorphan reduces cerebral injury following transient focal ischemia in rabbits, 382
Stewart, J.M., see Hall, M.E., 280
Su, W.-G., see Carlen, P.L., 171
Sugaya, A., see Sugaya, E., 239
Sugaya, E., Sugaya, A., Takagi, T., Tsuda, T., Kajiwara, K., Yasuda, K. and Komatsubara, J., Pentylenetetrazole-induced changes of the single potassium channel in primary cultured cerebral cortical neurons, 239
Sun, X. and Jen, P.H.-S., Electrical stimulation of bat superior colliculus influences responses of inferior collicular neurons to acoustic stimuli, 214
Szele, F., see Weiss, S.R.B., 72

Takagi, T., see Sugaya, E., 239
Takahashi, Y., Okamura, H., Yanaihara, N., Hamada, S., Fujita, S. and Ibata, Y., Vasoactive intestinal peptide immunoreactive neurons in the rat suprachiasmatic nucleus demonstrate diurnal variation, 374
Tal, M. and Sharav, Y., Masseter inhibitory periods and sensations upon electrical tooth-pulp stimulation in children and adults, 138
Tashiro, T., Satoda, T., Matsushima, R. and Mizuno, N., Possible origins of substance P-like immunoreactive axons within Onuf's nucleus of the cat, 177
Testa, G., see Pellegrini, A., 344
Tison, F., Mons, N., Rouet-Karama, S., Geffard, M. and Henry, P., Endogenous L-DOPA in the rat dorsal vagal complex: an immunocytochemical study by light and electron microscopy, 260
Tranchand-Bunel, D., see Delbende, C., 86
Trapido-Rosenthal, H.G., see Gleeson, R.A, 12
Trudrung, P. and Schumacher, U., Analysis of wheat germ agglutinin (WGA), *Phaseolus vulgaris* leucoagglutinin (PHA-L), and *Lens culinaris* agglutinin (LCA) binding to isolated rat neocortical membrane glycoproteins and to brain tissue sections, 399
Tsuda, T., see Sugaya, E., 239
Twery, M.J. and Gallagher, J.P., Somatostatin hyperpolarizes neurons and inhibits spontaneous activity in the rat dorsolateral septal nucleus, 315

Van Loon, G.R., see Houdi, A.A., 195
Vaudry, H., see Delbende, C., 86

Walker, D.W., see King, M.A., 361
Watanabe, S., see Hori, Y., 291
Weiss, J.H., Koh, J.-y. and Choi, D.W., Neurotoxicity of *β-N*-methylamino-L-alanine (BMAA) and *β-N*-oxalylamino-L-alanine (BOAA) on cultured cortical neurons, 64
Weiss, S.R.B., Post, R.M., Szele, F., Woodward, R. and Nierenberg, J., Chronic carbamazepine inhibits the development of local anesthetic seizures kindled by cocaine and lidocaine, 72
Wenzel, J., see Beck, T., 205
Wheeler, B.C., see Novak, J.L., 223
Whitaker-Azmitia, P.M. and Azmitia, E.C., Stimulaton of astroglial serotonin receptors produces culture media which regulates growth of serotonergic neurons, 80
Woodward, R., see Weiss, S.R.B., 72
Worley, P., see Zarbin, M.A., 334
Wu, P.H., see Carlen, P.L., 171

Yamamoto, T., see Carr, P.A., 163
Yanaihara, N., see Takahashi, Y., 374
Yasuda, K., see Sugaya, E., 239
York, D.A., see Holt, S.J., 183
Yurek, D.M., Deutch, A.Y., Roth, R.H. and Sladek, Jr., J.R., Morphological, neurochemical and behavioral characterizations associated with the combined treatment of diethyldithiocarbamate and 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in mice, 250

Zamir, O., see Hanani, M., 245
Zanotto, L., see Pellegrini, A., 344
Zarbin, M.A., Baraban, J. and Worley, P., Autoradiographic distribution of forskolin and phorbol ester binding sites in the retina, 334
Zarnegar, S.R., see Steinberg, G.K., 382